



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

January 17, 2020

Jan Brill
Manager, Registration
Bayer Environmental Science
A Division of Bayer CropScience
5000 CentreGreen Way, Suite 400
Cary, NC 27513

Subject: Notification per PRN 98-10 – Add a Referral Statement & Update Address
Product Name: Pre-Empt Fly Bait
EPA Registration Number: 432-1375
Application Date: June 14, 2019
Decision Number: 552999

Dear Mr. Brill:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. If you have any questions, you may contact please contact Melody Banks at (703) 305-5413 or by email at Banks.Melody@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Venus Eagle", is positioned above the typed name.

Venus Eagle, Product Manager 01
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

PRE-EMPT® FLY BAIT

ABN: MAXFORCE® Granular Fly Bait

[Musca domestica Image]

Editorial Note – [Bracketed text] is optional language

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N nitro-2-imidazolidinimine 0.50%
Z-9-Tricosene 0.10%

OTHER INGREDIENTS: 99.40%

TOTAL: 100.00%

EPA Reg. No. 432-1375

EPA Est. No. ____

STOP – READ THE LABEL BEFORE USE.
KEEP OUT OF REACH OF CHILDREN.

CAUTION

See [Back][Side] Panel for First Aid Instructions and [Leaflet][Booklet] for Complete Precautionary Statements and Directions for Use.
(Note to reviewer: Location of additional precautionary statements, directions for use will vary between those listed, depending on container type/size.)

FIRST AID

If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything to an unconscious person.
If on skin:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577.	
NOTE TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.	

NOTIFICATION

432-1375

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

01/17/2020

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

PRODUCT FACTS

- Fast acting
- Ready-to-use scatter bait or paint-on application
- Contains a specially formulated mixture of attractants
- Controls flies resistant to organophosphates and carbamates

PRE-EMPT® FLY BAIT	<ul style="list-style-type: none">• Ready-to-use bait containing 0.5% imidacloprid.• Contains the attractant muscalure.• Contains Bitrex® bittering agent to help prevent ingestion by animals, children, and pets.
---------------------------	---

CONTROLS	Flies
-----------------	-------

WHERE TO APPLY	<ul style="list-style-type: none">• Around the outside of structures or partially enclosed or protected areas.• In and around agricultural production facilities.• Around the outside of commercial facilities.
-----------------------	---

MIXING INFORMATION	<ul style="list-style-type: none">• Ready-to-use scatter bait.• Paint-on application: Mix the fly bait with water.
---------------------------	---

HOW TO APPLY	<ul style="list-style-type: none">• Scatter application.• Place in any fly bait station.• Paint-on application.
---------------------	---

COVERAGE	XX Square feet (5.7 to 6.3 oz/1,000 sq ft)
-----------------	---

RE-APPLY	Re-apply every 7 days as needed.
-----------------	----------------------------------


QUESTIONS ??	For questions or comments, call toll-free 1-800 331-2867.
---------------------	---



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLY MANAGEMENT

WHERE TO APPLY	<ul style="list-style-type: none"> For use only around the outside of commercial facilities like canneries, dairy, meat and poultry processing plants, beverage plants, food processing plants, restaurants, bakeries, supermarkets, warehouses, dumpsters, grease pits, recycling areas, loading docks. For use only around the outside of agricultural production facilities like broiler houses, feedlots, livestock housing structures, and horse stables. For use only around the outside of and in walkways of caged layer houses. Place bait in areas inaccessible to animals. In horse stables, apply bait only in fly bait stations. Place bait stations in areas inaccessible to animals.
USE RATE	<ul style="list-style-type: none"> 5.7 to 6.3 oz/1,000 sq ft (scatter bait and bait station)
HOW TO APPLY	<p>Apply the bait in many locations. Avoid cool or windy locations because flies prefer warm sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak.</p> <ul style="list-style-type: none"> Scatter application: Scatter the bait directly from the container onto dry level surfaces so that the individual granules lie near each other without forming small piles. Bait stations: Place in any fly bait station. Use 1 bait station to cover approximately 250 sq ft, and add up to 1.6 oz of bait per station. Secure bait stations at least 4 feet above the ground. Bait stations should be inaccessible to food-producing animals, children, and pets. Paint-on application: Mix 1.5 oz bait with 1 fl oz warm water (3 lbs bait in 1-quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where flies rest avoiding surfaces that are dusty.
RESTRICTIONS 	<ul style="list-style-type: none"> Do not place bait in areas accessible to food producing animals, children, and pets. Do not allow bait to come into contact with food or water. Do not apply to milking equipment. Do not apply inside food processing plants, restaurants or other commercial facilities.

MANAGEMENT TIPS

For Best Results: use the bait as part of an overall Integrated Pest Management program.

- Use proper sanitation and manure management.
- Use along with dilutable sprays like TEMPO®.
- Use proper light management.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling

Non rigid container (cardboard)

Non-refillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Rigid Non-refillable containers that are too large to shake (i.e., with capacities less than 50 lbs)

Completely empty container. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Offer for reconditioning, if appropriate. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Dispose of container by offering for recycling or reconditioning, or at an approved waste disposal facility, or by incineration if allowed by state and local authorities. Do not use container in connection with food, feed, or drinking water.

Spills

If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Net Contents:

MAXFORCE® and Tempo® are registered trademarks of Bayer.

PRODUCED FOR



Bayer Environmental Science

A Division of Bayer CropScience LP

5000 CentreGreen Way, Suite 400

Cary, NC 27513

Maxforce® Granular Fly Bait (PENDING) 03/18/2019, 05/30/2019